

WKE AK 14 - 70

Connecting - Protecting - Distributing



Industrial quality



- VDE tested for compliance with EN 61 439-2
- Individually configurable with type-tested components

- Tested compliant with EN 1363-1 by MPA Dresden
- Fire load insulation EI90 (based on I90) to protect escape and rescue routes as per MLAR 2005

- Circuit integrity rating EI90 to protect electrical installations as per MLAR 2005

- Enclosures for every application
- Tested by VDE and MPA
- With up to 14 units per switch row

Small-Scale Distributors WKE AK 14 - 70

WKE AK 14

400 x 540 x 230 mm



Description Order No. Packing Qty

WKE AK small-scale distributors, VDE certificated compliant with EN 61 439 Part 2, VDE tested and certified under specific operating conditions to be compliant with EN 61 439 2 paragraph 7.2, Tested compliant with EN 13501 Part 2 by MPA Dresden, fire load insulation EI 90 for protection of escape and rescue routes according to MLAR 2005, EI 90 maintained electrical function for protection of electrical equipment according to MLAR 2005, configurable with type-tested components



<p>WKE AK 14 WKE AK 14 small-scale distributor - Industrial Quality 1-row, 14 modules, $U_i=400V$, screwless PE/N terminal rails each with 3 screwable clamping points, elastic entries on top, with cable covering, masking and labelling strips, additional double-membrane seals and other accessories</p>	865 414 01	1/1
---	------------	-----

WKE AK 28

400 x 690 x 230 mm



WKE AK small-scale distributors, VDE certificated compliant with EN 61 439 Part 2, VDE tested and certified under specific operating conditions to be compliant with EN 61 439 2 paragraph 7.2, Tested compliant with EN 13501 Part 2 by MPA Dresden, fire load insulation EI 90 for protection of escape and rescue routes according to MLAR 2005, EI 90 maintained electrical function for protection of electrical equipment according to MLAR 2005, configurable with type-tested components



<p>WKE AK 28 WKE AK 28 small-scale distributor - Industrial Quality 2-row, 28 modules, $U_i=400V$, 150 mm rail spacing, 21 screwless clamping points $1.5\text{ mm}^2 - 4\text{ mm}^2$, with cable covering, masking and labelling strips, additional double-membrane seals and other accessories</p>	865 428 01	1/1
--	------------	-----

Maintaining electrical function

WKE AK 42

400 x 840 x 230 mm



Description

Order No.

Packing Qty

WKE AK small-scale distributors, VDE certificated compliant with EN 61 439 Part 2, VDE tested and certified under specific operating conditions to be compliant with EN 61 439 2 paragraph 7.2, Tested compliant with EN 13501 Part 2 by MPA Dresden, fire load insulation EI 90 for protection of escape and rescue routes according to MLAR 2005, EI 90 maintained electrical function for protection of electrical equipment according to MLAR 2005, configurable with type-tested components



WKE AK 42

WKE AK 42 small-scale distributor - **Industrial Quality**
3-row, 42 modules, $U_i=400V$,
150 mm rail spacing,
screwless PE/N terminal rails each
with 6 screwable clamping points, 2.5 - 16 mm²,
21 screwless clamping points 1.5 mm² - 4 mm²,
elastic entries on top, with cable covering,
masking and labelling strips,
additional double-membrane seals
and other accessories

865 442 01

1/1

WKE AK 56

400 x 990 x 230 mm



WKE AK small-scale distributors, VDE certificated compliant with EN 61 439 Part 2, VDE tested and certified under specific operating conditions to be compliant with EN 61 439 2 paragraph 7.2, Tested compliant with EN 13501 Part 2 by MPA Dresden, fire load insulation EI 90 for protection of escape and rescue routes according to MLAR 2005, EI 90 maintained electrical function for protection of electrical equipment according to MLAR 2005, configurable with type-tested components



WKE AK 56

WKE AK 56 small-scale distributor - **Industrial Quality**
4-row, 56 modules, $U_i=400V$, 150 mm rail spacing,
screwless PE/N terminal rails each
with 6 screwable clamping points, 2.5 - 16 mm²,
21 screwless clamping points 1.5 mm² - 4 mm²,
elastic entries on top,
additional double-membrane seals
and other accessories

865 456 01










1/1

Small-Scale Distributors WKE AK 14 - 70

WKE AK 70

400 x 1140 x 230 mm



Description	Order No.	Packing Qty
<p>WKE AK small-scale distributors, VDE certificated compliant with EN 61 439 Part 2, VDE tested and certified under specific operating conditions to be compliant with EN 61 439 2 paragraph 7.2, Tested compliant with EN 13501 Part 2 by MPA Dresden, fire load insulation EI 90 for protection of escape and rescue routes according to MLAR 2005, EI 90 maintained electrical function for protection of electrical equipment according to MLAR 2005, configurable with type-tested components</p>		
<p>          </p>		
<p>WKE AK 70 WKE AK 70 small-scale distributor - Industrial Quality 5-row, 70 modules, $U_i=400V$, 150 mm rail spacing, screwless PE/N terminal rails each with 6 screwable clamping points, 2.5 - 16 mm², 21 screwless clamping points 1.5 mm² - 4 mm², elastic entries on top, additional double-membrane seals and other accessories</p>	865 470 01	1/1

Maintaining electrical function